



## GROUND WATER MONITORING REPORT

<b>COMPANY</b>		<b>PERMIT NO.</b>	
<b>ADDRESS</b>		<b>MPID NO.</b>	
<b>Reporting Period</b>		<b>to</b>	
		<b>Sample Location No. (per Geologic Map)</b>	

**REPORTING INSTRUCTIONS:**

1. Submit at the end of each calendar quarter to the attention of the DMLR "Water Quality Section" at the above address.
2. All samples analyzed must be reported.

<b>Ground Water Type (check one)</b> <input type="checkbox"/> Well <input type="checkbox"/> Spring <input type="checkbox"/> Piezometer <input type="checkbox"/> Underdrain <input type="checkbox"/> Other (specify )
--

**FIELD PARAMETERS – to be analyzed twice monthly, at least 7 days apart.**

Date Sampled	Depth to Water	Flow (gpm)	Temperature °C	Specific Conductivity Micromhos/cm (adjusted to 25 °C)	Appearance	Color	pH

**Appearance Codes:** 1 = Clear    2 = Slightly Turbid    3 = Moderately Turbid    4 = Very Turbid    5 = Visible Suspended or Settleable Solids

**Color Codes:**    A = Natural    B = Brown to Red    C = Gray    D = Black    E = Other (please specify)

**QUARTERLY LABORATORY PARAMETERS**  
 (\* Parameters for Piezometers, Underdrains, Suction Lysimeters)

PARAMETER	VALUE	UNIT	PARAMETER	VALUE	UNIT
pH *		pH	Chloride *		mg/l
Acidity *		mg/l	Nitrate		mg/l
Alkalinity *		mg/l	Nitrite		mg/l
Hardness		mg/l	Ammonia		mg/l
Total Suspended Solids		mg/l	Total Phosphate		mg/l
Total Dissolved Solids *		mg/l	Orthophosphate		mg/l
Sulfate *		mg/l			mg/l
Total Iron *		mg/l			mg/l
Total Manganese *		mg/l	Appearance/Color *		

Date Sample Taken		Depth to Water (ft.)		Flow Rate (gpm)	
-------------------	--	----------------------	--	-----------------	--

<b>CERTIFICATION:</b>			
I certify that I am familiar with the information submitted herein, and to the best of my knowledge, such information is true, complete, and accurate.		Date	
Name of Principal Executive Officer or Authorized Agent		Signature	